

Range

The concept

Solid aluminium.
Screw or glue fixing
on all types of flooring.
Orderly cables.
Separate power
and data channels.

Dangers of tripping removed.
Durable quality.
Resistant to UV.
Made to measure on request.

Innovative solutions for
problems familiar to everyone.

The standard lengths



500 mm



800 mm



1,200 mm



1,600 mm


















2,000 mm

Important order information

The goods are not marked with EAN-codes
If required, please order separately.

Subject to technical changes

Article	Type	EAN-code	g/Pce	Picture
<p>EVoline® Bridge Aluminium cable link</p>  <p>can be fixed with screws (Screws not included in delivery) with decorative black trim; Length 500 mm</p>	935.01.050	 4 044657 002419	600	
<p>EVoline® Bridge Aluminium cable link</p>  <p>can be fixed with screws (Screws not included in delivery) with decorative black trim; Length 800 mm</p>	935.01.080	 4 044657 000606	950	
<p>EVoline® Bridge Aluminium cable link</p>  <p>can be fixed with screws (Screws not included in delivery) with decorative black trim; Length 1.200 mm</p>	935.01.120	 4 044657 000613	1400	
<p>EVoline® Bridge Aluminium cable link</p>  <p>can be fixed with screws (Screws not included in delivery) with decorative black trim; Length 1.600 mm</p>	935.01.160	 4 044657 000620	1900	
<p>EVoline® Bridge Aluminium cable link</p>  <p>can be fixed with screws (Screws not included in delivery) with decorative black trim; Length 2.000 mm</p>	935.01.200	 4 044657 000637	2270	

Article	Type	EAN-code	g/Pce	Picture
<p>EVoline® Bridge Aluminium cable link with double sided tape</p>  <p>with decorative black trim; Length 500 mm</p>	935.02.050	 4 044657 002426	605	
<p>EVoline® Bridge Aluminium cable link with double sided tape</p>  <p>with decorative black trim; Length 800 mm</p>	935.02.080	 4 044657 000644	955	
<p>EVoline® Bridge Aluminium cable link with double sided tape</p>  <p>with decorative black trim; Length 1.200 mm</p>	935.02.120	 4 044657 000651	1405	
<p>EVoline® Bridge Aluminium cable link with double sided tape</p>  <p>with decorative black trim; Length 1.600 mm</p>	935.02.160	 4 044657 000668	1905	
<p>EVoline® Bridge Aluminium cable link with double sided tape</p>  <p>with decorative black trim; Length 2.000 mm</p>	935.02.200	 4 044657 000675	2275	



www.schulte.com

Schulte Elektrotechnik
GmbH & Co KG

Mailbox 2732/2708
D-58477 Lüdenscheid

Jüngerstraße 21
D-58515 Lüdenscheid

Phone +49 (0) 2351 / 94 81-0
Fax +49 (0) 2351 / 4 26 58
mail info@schulte.com

www.schulte.com